



广微测
Gmicro Testing



201819000883



中国认可
国际互认
检测
TESTING
CNAS L1747

GUANGDONG DETECTION CENTER OF MICROBIOLOGY

REPORT FOR ANALYSIS

Report №.

2021SP09501R01E

Name of Sample

Zutto Necklace Purifier

Applicant



Test Type

Entrustment Test



Address: Building 66, No.100 , Xianlie Middle Road, Guangzhou, China

Postcode: 510070

Tel: +86 20 87137666

Fax : +86 20 87137668

Website : www.gddcm.com



广微测
Gmicro Testing



201819000883



中国认可
国际互认
检测
TESTING
CNAS L1747

GUANGDONG DETECTION CENTER OF MICROBIOLOGY

REPORT FOR ANALYSIS



Report №.: 2021SP09501R01E Verification Code: 37208451

Name of Sample	Zutto Necklace Purifier	Test Type	Entrustment Test
Applicant	[REDACTED]	Address	[REDACTED]
Sample Source	Submitted for Testing by the Applicant	Sample Quantity	1pc
Spec and Lot № of Sample	IAP-275 61 × 55.2 × 18mm	State and Characteristic	Machine
Sample Received Date	2021-08-25	Test Completion Date	2021-08-27
Test Standard and Method	GB 21551.3-2010/5.1.2		
Item Tested	Ozone concentration (5cm at the outlet)		
Test Conclusion	<p>The test data of the sample(s) is attached to the page(s) of this report.</p> <p style="text-align: right;">Issue Date: 2021-09-06 (Official Seal)</p>		
Remarks	Supplier: MANOVA International Limited (Provided by the applicant)		

生物
检测



Editor: Chen Jingxun

Verifier: Liang Daqing

Approver: Guo Weipeng



GUANGDONG DETECTION CENTER OF MICROBIOLOGY

ANALYSIS AND TEST RESULT

Report No.: 2021SP09501R01E

No.	Test Item	Test Result	Unit	Test Method
1	Ozone concentration (5cm at the outlet)	0.01	mg/m ³	GB 21551.3-2010/5.1.2

Method description: After opening the prototype for 30min, it was measured the ozone concentration 5cm away from the air outlet.

Photo of the sample



(Blank below)

分析
检测专用



Report №.: 2021SP09501R01E

Notice Items

1. The Test report is invalid if not affixed with Authorized Stamp of Test and Paging Seal.
2. The Test report is invalid without signature of verifier and approver.
3. The Test report is invalid if being supplemented, deleted or altered.
4. Without prior written permission, the report cannot be reproduced, except in full.
5. Unless otherwise stated, the results shown in this test report refer only to the sample(s) submitted.
6. Any dispute of the report must be raised to the testing body within 15 days after the report is received, exceeding which the dispute will not be accepted.
7. For the tested sample(s) submitted by the applicant, the sample information in the test report is provided by the applicant and the laboratory is not responsible for its authenticity.

